


PUBLIC NOTICE



**US Army Corps
of Engineers
Kansas City District**

Permit No. GP-41 (2007-2078)

Issue Date: March 21, 2008

STATES OF MISSOURI AND KANSAS - Including INDIAN COUNTRY
ISSUANCE OF GENERAL PERMIT (GP) 41
FLOOD RECOVERY AND REPAIR ACTIVITIES

The U.S. Army Corps of Engineers, Kansas City District **HAS ISSUED** GP-41 (copy enclosed) for protection and repair of existing flood damaged structures, damaged land areas and damaged fills, under authority of Section 10 of the Rivers and Harbors Act of 1988 (33 USC 403) and Section 404 of the Clean Water Act (33 USC 1344).

Duration of this General Permit: This GP is issued and is in effect for five (5) years, from March 21, 2008 until March 21, 2013, unless revoked or specifically extended.

Notification Procedures (Post and Preconstruction): Preconstruction notification is required by the General Public for all activities involving obtaining borrow from forested wetlands, borrowing material from potential migratory bird nesting areas, clearing trees along stream channels, working in areas with known exotic species, and/or if the proposed repair activity includes restoration of a stream channel back to the original, pre-flood location. Other authorized activities that meet the terms and limits of this GP may proceed without preconstruction notification to the Corps of Engineers. However, post construction reporting is required for all activities undertaken under this GP. See GP Special condition "d" and Appendix I for more information on notification requirements.

APPLICANT: General Public

PROJECT LOCATION: In waters of the United States in the States of Missouri and Kansas, including Indian Country within Kansas boundaries that are declared flood disaster areas by the Governor of either state and/or the President of the United States of America.

AUTHORITY: Section 10 of the Rivers and Harbors Act of 1988 (33 USC 403) and Section 404 of the Clean Water Act (33 USC 1344).

ACTIVITY: Excavation or placement of fill material for protection and/or repair of existing flood damaged structures, damaged land areas and/or damaged fills as follows: a. Repair of levees to existing elevations and cross-section, including breach closures and borrow operations, b. Bridge embankment protection (armoring) and/or repair, c. Repair of pre-existing highway or railroad embankments and the addition or repair of stone (armoring) protection, d. Repair of pre-existing utility protection structures, e. Placement of rock and/or earth materials for stream/ditch bank protection and/or stream/ditch bank restoration, f. Drainage channel/ditch restoration to

pre-flood capacity and flow line unless the flow line must be altered due to other damage associated with the flood event, g. Restoration of creek channels to pre-flooding alignment and capacity, and h. Construction of temporary roads and temporary fills to facilitate the completion of any of the listed activities.

Note: Maintenance of existing flood damaged structures and/or flood damaged fills, which have been previously authorized, may be authorized by Nationwide Permit No. 3 or exempted by Part 323.4 of Federal regulations 33 CFR 320-331. The repair of uplands damaged by storms, floods or other discrete events may be authorized by Nationwide Permit No. 45 upon notification and review by the appropriate Corps of Engineers District, Regulatory Branch.

INDIAN COUNTRY: Work under this permit is not authorized in Indian Country until the applicant obtains individual Section 401 Water Quality Certification from the U.S. Environmental Protection Agency (EPA), Region VII, Watershed Planning and Implementation Branch, 901 North 5th Street, Kansas City, Kansas 66101 (913-551-7003).

EPA may issue programmatic water quality certification during the authorization period of this permit which ends December 31, 2013. If issued, the Corps of Engineers will announce by public notice and post that certification to the Regulatory Program webpage: <http://www.nwk.usace.army.mil/regulatory/regulatory.htm>.

SECTION 401 WATER QUALITY CERTIFICATION: Conditions of any individual or programmatic Section 401 Water Quality Certifications issued by the Missouri Department of Natural Resources (MDNR - for Missouri), Kansas Department of Health and Environment (KDHE - for Kansas), and EPA (for Indian Country) are conditions of this GP. General Condition 5 of the GP states: "If a conditioned water quality certification has been issued for your project, you must comply with the conditions specified in the certification as special conditions to this permit."

ADDITIONAL INFORMATION: Additional information about this general permit may be obtained by contacting Mr. Douglas R. Berka, Regulatory Project Manager, Kansas City District Regulatory Branch (ATTN: OD-R) 700 Federal Building, Kansas City, Missouri 64106, at 816-389-3657 or via email at Douglas.R.Berka@usace.army.mil. All inquiries concerning this public notice should be directed to the above address.

Enclosure

DEPARTMENT OF THE ARMY PERMIT

Permittee General Public

Permit No. NWK GP-41

Issuing Office U.S. Army Corps of Engineers, Kansas City District

NOTE: The term "you" and its derivatives, as used in this permit, means the permittee or any future transferee. The term "this office" refers to the appropriate district or division office of the Corps of Engineers having jurisdiction over the permitted activity or the appropriate official of that office acting under the authority of the commanding officer.

You are authorized to perform work in accordance with the terms and conditions specified below.

Project Description: To excavate or place fill material for protection and/or repair of existing flood damaged structures, damaged land areas and/or damaged fills as follows:

- a. Repair of levees to existing elevations and cross-section, including breach closures and borrow operations
- b. Bridge embankment protection (armoring) and/or repair
- c. Repair of pre-existing highway or railroad embankments and the addition or repair of stone (armoring) protection
- d. Repair of pre-existing utility protection structures
- e. Placement of rock and/or earth materials for stream/ditch bank protection and/or stream/ditch bank restoration
- f. Drainage channel/ditch restoration to pre-flood capacity and flow line unless the flow line must be altered due to other damage associated with the flood event
- g. Restoration of creek channels to pre-flooding alignment and capacity
- h. Construction of temporary roads and temporary fills to facilitate the completion of any of the listed activities

Note: Maintenance of existing flood damaged structures and/or flood damaged fills, which have been previously authorized, may be authorized by Nationwide Permit No. 3 or exempted by Part 323.4 of Federal regulations 33 CFR 320-331. The repair of uplands damaged by storms, floods or other discrete events may be authorized by Nationwide Permit No. 45 upon notification and review by the appropriate Corps of Engineers District, Regulatory Branch.

Project Location: In Waters of the United States, (rivers, lakes, streams, and wetlands) within the State of Kansas, including Indian Country, and within the State of Missouri that are declared flood disaster areas by the Governor of either state and/or the President of the United States.

Permit Conditions:

General Conditions:

1. The time limit for completing the work authorized ends on 2 years from each permit determination. If you find that you need more time to complete the authorized activity, submit your request for a time extension to this office for consideration at least one month before the above date is reached.
2. You must maintain the activity authorized by this permit in conformance with the terms and conditions of this permit. You are not relieved of this requirement if you abandon the permitted activity, although you may make a good faith transfer to a third party in compliance with General Condition 4 below. Should you wish to cease to maintain the authorized activity or should you desire to abandon it without a good faith transfer, you must obtain a modification of this permit from this office, which may require restoration of the area.
3. If you discover any previously unknown historic or archeological remains while accomplishing the activity authorized by this permit, you must immediately notify this office of what you have found. We will initiate the Federal and state coordination required to determine if the remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.

4. If you sell the property associated with this permit, you must obtain the signature of the new owner in the space provided and forward a copy of the permit to this office to validate the transfer of this authorization.
5. If a conditioned water quality certification has been issued for your project, you must comply with the conditions specified in the certification as special conditions to this permit. For your convenience, a copy of the certification is attached if it contains such conditions.
6. You must allow representatives from this office to inspect the authorized activity at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the terms and conditions of your permit.

Special Conditions:

See continuation sheets, pages 4, 5, and 6 of this document.

Further Information:

1. Congressional Authorities: You have been authorized to undertake the activity described above pursuant to:
 - (x) Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403).
 - (x) Section 404 of the Clean Water Act (33 U.S.C. 1344).
 - () Section 103 of the Marine Protection, Research and Sanctuaries Act of 1972 (33 U.S.C. 1413).
2. Limits of this authorization.
 - a. This permit does not obviate the need to obtain other Federal, state, or local authorization required by law.
 - b. This permit does not grant any property rights or exclusive privileges.
 - c. This permit does not authorize any injury to the property or rights of others.
 - d. This permit does not authorize interference with any existing or proposed Federal project.
3. Limits of Federal Liability. In issuing this permit, the Federal Government does not assume any liability for the following:
 - a. Damages to the permitted project or uses thereof as a result of other permitted or unpermitted activities or from natural causes.
 - b. Damages to the permitted project or uses thereof as a result of current or future activities undertaken by or on behalf of the United States in the public interest.
 - c. Damages to persons, property, or to other permitted or unpermitted activities or structures caused by the activity authorized by this permit.
 - d. Design or construction deficiencies associated with the permitted work.
 - e. Damage claims associated with any future modification, suspension, or revocation of this permit.
4. Reliance on Applicant's Data: The determination of this office that issuance of this permit is not contrary to the public interest was made in reliance on the information you provided.

5. Reevaluation of Permit Decision. This office may reevaluate its decision on this permit at any time the circumstances warrant. Circumstances that could require a reevaluation include, but are not limited to, the following:

- a. You fail to comply with the terms and conditions of this permit.
- b. The information provided by you in support of your permit application proves to have been false, incomplete, or inaccurate (See 4 above).
- c. Significant new information surfaces which this office did not consider in reaching the original public interest decision.

Such a reevaluation may result in a determination that it is appropriate to use the suspension, modification, and revocation procedures contained in 33 CFR 325.7 or enforcement procedures such as those contained in 33 CFR 326.4 and 326.5. The referenced enforcement procedures provide for the issuance of an administrative order requiring you to comply with the terms and conditions of your permit and for the initiation of legal action where appropriate. You will be required to pay for any corrective measures ordered by this office, and if you fail to comply with such directive, this office may in certain situations (such as those specified in 33 CFR 209.170) accomplish the corrective measures by contract or otherwise and bill you for the cost.

6. Extensions. General condition 1 establishes a time limit for the completion of the activity authorized by this permit. Unless there are circumstances requiring either a prompt completion of the authorized activity or a reevaluation of the public interest decision, the Corps will normally give favorable consideration to a request for an extension of this time limit.

Your signature below, as permittee, indicates that you accept and agree to comply with the terms and conditions of this permit.

General Public – Signature Not Required

(PERMITTEE)

(DATE)

This permit becomes effective when the Federal official, designated to act for the Secretary of the Army, has signed below.



 (DISTRICT COMMANDER)
 ROGER A. WILSON, JR.
 BY: MARK D. FRAZIER
 Chief, Regulatory Branch
 Operations Division

21 March 2008

(DATE)

When the structures or work authorized by this permit are still in existence at the time the property is transferred, the terms and conditions of this permit will continue to be binding on the new owner(s) of the property. To validate the transfer of this permit and the associated liabilities associated with compliance with its terms and conditions, have the transferee sign and date below.

(TRANSFEREE)

(DATE)

Special Conditions:

- a. You must sign and return the attached "Compliance Certification" after the authorized work and any required mitigation is completed. Your signature will certify that you completed the work in accordance with this permit, including the general and the special conditions, and that any required mitigation was completed in accordance with the permit conditions.
- b. **(Activities occurring in navigable waters under Section 10 of the Rivers and Harbors Act of 1899 Only)** The permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structure or work herein authorized, or if, in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.
- c. If any part of the authorized work is performed by a contractor, before starting work you must discuss the terms and conditions of this permit with the contractor; and, you must give a copy of this entire permit to the contractor.
- d. You must contact the Corps of Engineers, submit application materials outlined in Appendix I, and you must submit a mitigation plan prior to completing any flood recovery/repair activity when the repair involves obtaining borrow from forested wetland, borrowing material from potential migratory bird nesting areas, clearing trees along stream channels, working in areas with known exotic species, and/or if the proposed repair activity includes restoration of a stream channel back to the original, pre-flood location. All other flood repair activities, including all repairs supervised by the Corps of Engineers, pursuant to Public Law 84-99 and/or all repairs supervised by the United States Department of Agriculture, pursuant to the Emergency Watershed Protection Program or to the Emergency Conservation Program can be completed without pre-construction notification to the Corps of Engineers. However, all completed flood repair work, authorized by this permit, must be reported to the Corps of Engineers, Regulatory Branch, within 60 days of completing the project. The report must include the location of the work, as-built drawings of the structure(s) and/or fill(s), and a discussion of the avoidance and minimization measures incorporated into the project and mitigation measures employed.
- e. You must NOT dredge or excavate from the Missouri River or from the Kansas River in order to obtain borrow material for any flood repair project authorized by this permit.
- f. You must employ measures to prevent spilled fuels, lubricants, excessive suspended solids including dredged material, and/or wet concrete from entering the waters of the United States and formulate a contingency plan to be effective in the event of a spill.
- g. You must use clean, uncontaminated materials for fill in order to minimize excessive turbidity by leaching of fines, as well as to preclude the entrance of deleterious and/or toxic materials into the waters of the United States by natural runoff or by leaching. Use of small aggregate material less than 20 lbs per aggregate, such as creek gravel, for stabilization and erosion control is prohibited.
- h. You must excavate or fill in the watercourse so as to minimize increases in suspended solids and turbidity which may degrade water quality and damage aquatic life outside the immediate area of operation. Activities should be conducted during low water periods and outside major spawning season for fish, unless a waiver is obtained from the Corps of Engineers. Crossings of waterways and use of construction machinery in waterways should be limited to the minimum extent necessary.
- i. You must immediately remove and properly dispose of all debris during every phase of the project in order to prevent the accumulation of unsightly, deleterious and/or toxic materials in or near the water body. All construction debris must be disposed of in an upland site, outside the floodplain, and in such a manner that it cannot enter into a waterway or into a wetland.
- j. You must store all construction materials, equipment, and/or petroleum products, when not in use, above anticipated high water levels.

Special Conditions (continued):

- k. You must restrict the clearing of timber and other vegetation to the absolute minimum required to accomplish the work. You must avoid the removal of mature trees to prevent potential impacts to bald eagle roost sites. Work should be limited to one side of the channel only. However, work from both sides of the channel is permitted if it is demonstrated that it results in minimizing tree clearing. Vegetated riparian buffer areas should be included along both sides of any channel restoration projects. All wooded areas cleared for site access must be allowed to return to forested habitat. Mitigation may be required for other timber clearing.
- l. Upon completion of earthwork operations, you must seed, replant or otherwise protect from erosion all fills in the water or on shore, and other areas on shore disturbed during construction. If seeding does not successfully stabilize the disturbed soil areas by the end of the first growing season, you must implement alternate measures, such as placing riprap, slope terracing with untreated railroad ties, gabions or concrete blocks, or additional vegetative plantings, to protect the disturbed areas from further erosion. Clearing, grading, and replanting should be planned and timed so that only the smallest area is in a bare soil condition. You must contact the Corps of Engineers prior to beginning work on any additional erosion control measures so that we can determine if additional authorization is required.
- m. You must dispose of excess concrete and wash water from concrete trucks and other concrete mixing equipment in an upland area above the ordinary high water mark and at a location where the concrete and wash water cannot enter the water body or an adjacent wetland area.
- n. You must not dispose of any construction debris or waste materials below the ordinary high water mark of any water body, in a wetland area, or at any location where the materials could be introduced into the water body or an adjacent wetland as a result of runoff, flooding, wind, or other natural forces.
- o. You must use only graded rock, quarry-run rock and/or clean concrete rubble for riprap. The material must be reasonably well graded, consisting of pieces varying in size from 20 pounds up to and including at least 150 pound pieces. Generally, the maximum weight of any piece should not be more than 500 pounds. Gravel and dirt should not exceed 15% of the total fill volume. If you use concrete rubble, you must break all large slabs to conform to the well graded requirement, and remove all exposed reinforcement rods, trash, asphalt, and other extraneous materials before you place the rubble in the waters of the United States. Size and gradation requirements can be changed provided approval is received from the Corps' Regulatory Branch prior to placement.
- p. You must completely remove all temporary fills, including sand bags (to the extent practicable), in the Waters of the United States within 30 days of the end of the flood emergency and disposed of in accordance with special condition "h" above, unless the temporary fill is to be incorporated in the final repair of the structure. If sand bags are needed for a longer duration until permanent repairs are made, you must request a waiver of this condition in writing. Temporary construction of levees to protect agricultural land in areas where no levees previously existed, are not authorized.
- q. You must avoid impacts to wetlands to the fullest extent practicable. When wetlands impacts are unavoidable, borrow site selection will be based on the following order of preference: upland (non-wetland) sources, areas riverward of the levee previously used for borrow, open prior converted cropland, farmed wetlands, or other authorized excavation sites. You must mitigate for all unavoidable proposed wetland excavation or fill activities authorized by this permit. You must develop mitigation plans on a case-by-case basis which must be approved by the Corps. This permit does not authorize actions designed to drain or otherwise convert wetlands to other uses, nor actions where a practicable alternative to impacting wetlands is available unless the Corps of Engineers, in consultation with other resource agencies, determine that sediment removal from existing wetlands will restore wetland functions and create valued habitat diversity. All borrow areas should have 5:1 horizontal to vertical side slopes and the water depth should be three feet deep or less under normal circumstances.
- r. You must place all fills and structures such that they do not result in stream channel constriction or in redirection of flows in such a way as to cause upstream or downstream erosion. Channelization projects or shortening of waterways, other than restoration of creek channels to pre-flood alignment, are not authorized.
- s. You must not undertake actions that are likely to jeopardize the existence of a threatened or endangered species or a species proposed for such designation as defined in the Federal Endangered Species Act, nor actions which are likely to destroy or adversely modify the critical habitat of such species. If the project requires the removal of mature trees along stream channels or from forested wetland you must contact the Corps of Engineers prior to any tree clearing activity.

Special Conditions (continued):

t. You must avoid activity in the proximity of a property listed in or eligible for listing in the National Register of Historic Places unless, after coordination with the State Historic Preservation Office of the affected state and/or the Advisory Council on Historic Preservation, a determination of "no effect" or "no adverse effect" is made in accordance with criteria established by 36 CFR 800. If an inadvertent discovery of any cultural or archaeological resource occurs you must immediately contact this office and you should suspend work in the area until a determination of eligibility for listing on the National Register of Historic Places is completed and any necessary consultation under Section 106 of the National Historic Preservation Act is completed.

u. You must not undertake any activity that results in a new structure or replacement of a previously authorized structure with an increase in scope or design of the original structure. Small changes that do not affect elevations, such as the reconstruction of a levee around a scour hole at pre-existing elevations, and that do not convert wetland to upland (non-wetland) or a different wetland use beyond what is unavoidable such as to go around a scour hole, may be authorized upon notification to the Corps. Levee breach repairs constructed on new alignments must be setback farther from the stream channel than the original alignment.

v. You must contact the Missouri Department of Natural Resources, Water Pollution Control Program, P.O. Box 176, Jefferson City, Missouri 65102-0176, or the Kansas Department of Health and Environment, Bureau of Water, Curtis State Office Building, 1000 Southwest Jackson, Topeka, Kansas 66612, in order to determine the need for a state permit for land disturbance, return water, or other activities that normally require such permits. Use of GP-41 shall not be construed or interpreted to imply the requirements for other permits are replaced or superseded. Any national pollutant discharge elimination system (NPDES) permits, general permits for land disturbance, or other requirements shall be complied with.

w. You must notify the Corps of Engineers if one of the following common exotic species occurs in the project area. The zebra mussel (*Dreissena polymorpha*), Eurasian watermilfoil (*Myriophyllum spicatum*), purple loosestrife (*Lythrum salicaria*), Johnson grass (*Sorghum halepense*), sericia lespedeza (*Lespedeza cuneata*), salt cedar (*Tamarix spp.*), and reed canary grass (*Phalaris arundinacea*). You must take appropriate actions to insure the prevention of the spread of any exotic species. The following best management practice can help prevent the spread of these species. Equipment brought on the project site should be washed to remove dirt, seeds and plant parts. If the equipment has been used in a body of water in the last 30 days it can be washed at a commercial car wash or dried for five or more days before using the equipment in another body of water. In addition, before transporting equipment from the project site visible water, mud, plants and animals should be removed. Waters that the zebra mussel is known to inhabit in Kansas and in Missouri can be found at the following website:

<http://nas.er.usgs.gov/queries/zmbyst.asp>

x. For activities occurring in Indian Country, you must request and obtain individual Section 401 Water Quality Certification from the Environmental Protection Agency (EPA). You may contact the EPA by writing US EPA, Region 7 Tribal Coordinator, 901 North 5th Street, Kansas City, Kansas 66101, or by calling (913) 551-7498. You must receive Section 401 Water Quality Certification, and comply with the conditions of that certification, during performance of any work under this permit. Should EPA issue programmatic certification for this GP during the term of the GP, the Corps will issue a supplemental public notice and General Condition 5 of the permit applies.

APPENDIX I

Criteria for Authorization by General Permit NWKGP-41

1. This general permit authorizes activities proposed by the general public, railroads, transportation departments, pipeline and utility companies, and government agencies.
2. If you propose to work under the authority of this General Permit and the project requires preconstruction notification as outlined in special condition "d" of the permit, you must notify the appropriate Corps of Engineers district within 18 months of the end of the flood emergency (when the nearest river gauge drops below flood stage for two months), and receive authorization prior to starting work in the Corps jurisdiction. You must submit the following information:
 - a. A completed application form ENG 4345 or a letter which includes all information required by form ENG 4345. The ENG 4345 is available at: www.nwk.usace.army.mil/regulatory/regulatory.htm
 - b. You must clearly describe the proposed work so we can clearly and readily determine whether or not the proposed work complies with the General Permit.
 - c. The flood repair activities must be in counties declared disaster areas by the Governor of the State of Kansas, the Governor of the State of Missouri and/or the President of the United States.
 - d. An 8 1/2" x 11" drawing(s) showing the details of the proposed work.
 - e. An 8 1/2" x 11" map with the location of the proposed project clearly marked, including the Section, Township, and Range or the Latitude and Longitude location (decidegrees).
 - f. Discussion of possible alternatives and why they were not selected.
 - g. Also, as project proponent, you must send copies concurrently to the following addresses, but we will not necessarily solicit comments from these agencies. We will give these agencies an opportunity to request that we take discretionary authority to require that you apply for an individual permit, if a potential significant problem is identified.

1. For projects in Missouri contact:

U.S. Fish and Wildlife Service
Columbia Field Office
101 Park DeVille Drive, Suite A
Columbia, Missouri 65203
(573) 234-2132

Missouri Department of Natural Resources
Water Pollution Control Branch
P.O. Box 176
Jefferson City, Missouri 65102
1-800-361-4827 or (573) 751-1300

U.S. Environmental Protection Agency
Watershed Planning and Implementation Branch
901 North Fifth Street
Kansas City, Kansas 66101
(913) 551-7003

Missouri Department of Natural Resources
Historic Preservation Program
P.O. Box 176
Jefferson City, Missouri 65102
(573) 751-7958

APPENDIX I (continued)

Missouri Department of Conservation
Policy Coordination
P.O. Box 180
Jefferson City, Missouri 65102-0180
(573) 522- 5115

* Federal Emergency Management Agency
Region VII
9221 Ward Parkway, Suite 300
Kansas City, Missouri 64114-3372
(816) 283-7063

2. For projects in Kansas contact:

U.S. Fish and Wildlife Service
Manhattan Field Office
2609 Anderson Avenue
Manhattan, Kansas 66502
(785) 539-3474

Kansas Department of Health and Environment
Bureau of Water
Curtis State Office Building
1000 Southwest Jackson Street
Topeka, Kansas 66612
(785) 296-1500

Kansas Department of Wildlife and Parks
512 Southeast 25th Avenue
Pratt, Kansas 67124
(620) 672-5911

* Federal Emergency Management Agency
Region VII
9221 Ward Parkway, Suite 300
Kansas City, Missouri 64114-3372
(816) 283-7063

* You must contact FEMA for all proposed development located in the 100-year floodplain of a National Flood Insurance Program (NFIP) participating community in order to comply with local floodplain management regulations and secure a floodplain development permit from that community.

3. For projects not requiring pre-construction notification, a report of the completed repair activities must be submitted that includes the location of the work, as-built drawings of the structure(s) and/or fill(s), and a discussion of the avoidance and minimization measures incorporated into the project and mitigation measures employed.

4. We may reevaluate the cumulative impacts of this general permit at our discretion at any time. We will reevaluate cumulative impacts at least every five (5) years.

5. The following is a list of flood damaged structures, damaged land areas and/or damaged fills authorized to be repaired under this general permit:

- a. Repair of levees to existing elevations, including breach closures and borrow operations
- b. Bridge embankment protection (armoring) or repair
- c. Repair of pre-existing highway and/or railroad embankments and armor protection
- d. Repair of pre-existing utility protection structures
- e. Placement of rock and/or earth materials for emergency bank protection or restoration

APPENDIX I (continued)

- f. Drainage ditch restoration to pre-flood capacity and flow line unless the flow line must be altered due to other damage associated with the flood event
 - g. Restoration of creek channels to pre-flooding alignment, capacity and flow line
 - h. Construction of temporary haul roads to facilitate any of the above listed activities
6. The District Engineer may require an individual permit on a case-by-case basis for any activity authorized herein.
7. You must complete the authorized work within the five year issuance period of the GP. If you need additional time to complete repairs or if flood damage occurs within the last year of the GP applicants must contact the appropriate Corps District for an extension of the authorization to complete the needed work. Contact should be made at least one month in advance of the GP expiration date.
8. Flood repair activities, supervised by the U. S. Army Corps of Engineers, pursuant to Public Law 84-99, and/or supervised by the United States Department of Agriculture, pursuant to the Emergency Watershed Protection Program or the Emergency Conservation Program, do not require notification to the Corps of Engineers, Regulatory Branch. It is the responsibility of these federal agencies to comply with all environmental laws and Presidential Executive Orders.

COMPLIANCE CERTIFICATION

Special condition "a" of this permit document requires that you submit a signed certification regarding the completed work and any required mitigation. This certification page satisfies this condition if it is provided to the Kansas City District at the address shown at the bottom of this page upon completion of the project.

APPLICATION NUMBER: General Permit No. 41 (NWK 2007-02078)

APPLICANT (Enter name and mailing address):

PROJECT LOCATION (Enter latitude & longitude (decidegrees) or Section, Township and Range, County, State):

- a. I certify that the authorized work was done in accordance with the Corps authorization, including any general or specific conditions.
- b. I certify that any required mitigation was completed in accordance with the permit conditions.
- c. Your signature below, as permittee, indicates that you have completed the authorized project as certified in paragraphs a and b above.

(PERMITTEE)

(DATE)

Return this certification to:

U.S. Army Corps of Engineers
700 Federal Building
601 East 12th Street
Kansas City, MO 64106-2896
ATTN: OD-R



Kathleen Sebelius, Governor
Roderick L. Bremby, Secretary

DEPARTMENT OF HEALTH
AND ENVIRONMENT

www.kdheks.gov

Division of Environment

January 31, 2008

Mr. Douglas R. Berka
U.S. Army Corps of Engineers
Kansas City Field Office; 700 Federal Building
601 East 12th Street
Kansas City, Missouri 64106-2896

Section 401 Water Quality Certification

RE: (2007-0078) PROPOSED REGIONAL GENERAL PERMIT NO. 41 FOR
EXCAVATION OR PLACEMENT OF FILL MATERIAL FOR THE PERMANENT
PROTECTION AND/OR REPAIR OF FLOOD DAMAGED STRUCTURES, DAMAGED LAND
AREAS AND/OR DAMAGED FILLS IN THE STATES OF KANSAS AND MISSOURI.
PERMITTEES: General Public, Railroads, Transportation Departments, Pipeline and
Utility Companies and Government Agencies

Dear Mr. Berka:

The Kansas Department of Health and Environment has received your request for
Section 401 Water Quality Certification. The KDHE has determined the project has the
following water pollutant discharge sources:

- a. Repair of levees to existing elevations and cross-section, including breach
closures and borrow operations
- b. Bridge embankment protection (armoring) or repair
- c. Repair of pre-existing highway or railroad embankments and the addition or
repair of stone (armoring) protection
- d. Repair of pre-existing utility protection structures
- e. Placement of rock and/or earth materials for stream/ditch bank protection
and/or stream/ditch bank restoration.

BUREAU OF WATER – WATERSHED MANAGEMENT SECTION
CURTIS STATE OFFICE BUILDING, 1000 SW JACKSON ST., STE. 420, TOPEKA, KS 66612-1367

Voice 785-296-4195 Fax 785-296-5509

<http://www.kdheks.gov/nps/index.html>

f. Drainage ditch restoration to pre-flood capacity and flow line unless the flow line must be altered due to other damage associated with the flood event

g. Restoration of creek channels to pre-flooding alignment and capacity

h. Construction of temporary haul roads to facilitate the completion of any of the listed activities

Discharges from these sources if not minimized or otherwise controlled may cause violations of the provisions of Kansas Water Quality Standards found at KAR 28-16-28 et seq.

Pursuant to Section 401 and KAR 28-16-28(c) the Kansas Department of Health and Environment finds this project will not result in a violation of Kansas Water Quality Standards and herewith issues a Water Quality Certification for execution and subsequent operation of the project subject to the following conditions:

- I. Limitations of this Certification:** All Section 404 activities within the borders of Indian owned and operated lands are not covered by this certification. Individuals proposing projects which impact those waters are responsible for contacting the appropriate individual at the following numbers:

Prairie Band Pottawatomie Indians, Planning Department, 785/966-2946

Kickapoo Tribe in Kansas, Environmental Office, 785/486-2601

Iowa of Tribe of Kansas and Nebraska, 785/595-3258

Sac and Fox Tribe of Missouri, 785/742-4707

Environmental Protection Agency Region VII Indian Lands Contact,
913/551-7498

II.

General Conditions

- 1. Certification Retention:** The applicant shall retain this water quality certification on the project site through the duration of the project to accommodate inspection.
- 2. Kansas Water Pollution Control General Permit for Stormwater Runoff from Construction Activities:** This certification does not relieve the applicant of the responsibility to determine if the project is subject to the requirements of **General NPDES Permit** and to secure such permit as necessary. Questions and inquiries may be directed to:

Mr. Larry Hook
Kansas Department of Health and Environment
Bureau of Water Industrial Program Section
1000 SW Jackson Street, Suite 420
Topeka, Kansas 66612-1367
Phone 785/296-5549; FAX:785/296-5509
www.kdheks.gov/stormwater

3. **Project Water Quality Protection Plan:** Any person wishing to use a Section 404 GP 41 Permit shall prepare and follow a written project water quality protection plan (PWQPP.) The PWQPP shall identify components of the permitted activity (i.e. solid waste handling, fuel storage and leaks, sediment from construction etc.) which may or will result in the discharge of pollutants to waters of the state. For each component which may discharge pollutants to waters of the state, the plan shall set out the physical, structural and management measures to be implemented to prevent or minimize the discharge of pollutants to waters of the state. (Activities requiring a construction stormwater permit, as described above, also require a stormwater pollution prevention plan which will serve as the PWQPP.)

The permittee is required to submit the PWQPP to KDHE only if the project impacts Outstanding National Resource, Exceptional State or Special Aquatic Life Use Waters per condition #4 below.

4. **Outstanding National Resource Waters, Exceptional State and Special Aquatic Life Support Use Waters:** In the event the permitted activity occurs in or within one half (2) mile of an Outstanding National Resource Water as defined pursuant to **K.A.R. 28-16-28b(pp)** and **K.A.R. 28-16-28c(a)B(3)**, an Exceptional State Water pursuant to **K.A.R. 28-16-28b(y)** and **K.A.R. 28-16-28c(a)B(2)**, or a Special Aquatic Life Support Use Water designated pursuant to **K.A.R. 28-16-28d(b)(2)(A)**, **the person responsible for initiating the activity shall submit a copy of the PWQPP to:**

Kansas Department of Health and Environment
Bureau of Water - Watershed Management Section
1000 SW Jackson Street, Suite 420
Topeka, Kansas 66612-1367
nps@kdhe.state.ks.us

A table and state map of **Outstanding National Resource Waters, Exceptional State and Special Aquatic Life Support Use Waters** can be found at:
<http://www.kdheks.gov/nps/resources/specwaterinfo.pdf>.

The permittee should also be aware of the following Kansas water quality protection regulations associated with special waters:

K.A.R. 28-16-28c(a)B(2)-AWherever state surface waters constitute exceptional state waters, discharges shall be allowed only if existing uses and existing water quality are maintained and protected.@

K.A.R. 28-16-28c(a)B(3)-AWherever state surface waters constitute an outstanding national resource water existing uses and existing water quality shall be maintained and protected. New or expanded discharges shall not be allowed into outstanding national resource waters.@

5. **Solid Waste Disposal:** All solid waste materials produced during the execution of the project shall be disposed in accordance with the provisions of Kansas Solid Waste Management Statutes and regulations and applicable local regulations. Direct inquiries to:

KDHE, Bureau of Waste Management
1000 SW Jackson Street, Suite 320
Topeka, Kansas 66612-1366
Phone: 785/296-1600; FAX: 785/296-1592
www.kdhe.state.ks.us/waste/index.html

6. **Equipment Staging Areas and Project Closure:** Upon completion of the project, disturbed areas shall be expeditiously stabilized with temporary and permanent vegetation, bio-artificial ground cover or other appropriate non-polluting material. Fertilizer application to establish and maintain vegetation shall be done in a manner that will not contribute to the current nutrient load to any of the surface waters impacted by the project. The person responsible for the permitted activity shall monitor and maintain cover materials until such time as the site is stabilized. Project closure procedures shall be documented in the Project Water Quality Protection Plan per condition No. II. 3.
7. **Riparian Areas:** Minimize removal or disturbance of riparian areas (areas adjacent to water bodies). KDHE encourages the use of vegetation consistent with adjoining vegetation materials to minimize impacts from improper handling of fertilizers and pesticides.
8. **Discharge of Floatable Materials:** Pursuant to K.A.R. 28-16-28b (uu)(1), (3) and (4), the person responsible for executing the permitted activity shall assure good house keeping is practiced at the site to minimize the discharge of floatable materials such as personal refuse including food containers, packing materials, and other litter. Appropriate measures shall be taken to capture and/or recover any floatable materials discharged to waters of the state originating with the permitted project.

9. **Fuel, Chemical and Materials Storage:** Fuel, chemical and other materials stored at the project site shall be stored in a manner that minimizes the discharge of product to waters of the state. Spill minimization and prevention measures and procedures shall be documented in the Water Quality Protection Plan.
10. **Spill Response and Reporting:**
 - 1.) **Spill response and cleanup:** In the event a spill of fuel, chemical or other water quality degrading materials stored or transported on the site occurs, the permittee shall or with the assistance of professional response personnel, expeditiously control or contain the spill and initiate clean up procedures. The applicant shall immediately contact 911. Spill response and cleanup actions shall be documented in the PWQPP. The applicant should also contact the appropriate Kansas Department of Health and Environment (www.kdhegov/befs/#districts or look in your local phone directory) to confirm cleanup activities. Finally, KDHE strongly encourages the permittee to establish and post a sign that includes phone contact numbers for the appropriate local emergency response unit, KDHE district office, and the project manager/owner.
 - 2.) **Reporting:** The Kansas Department of Health and Environment shall be notified of all fuel spills or unauthorized discharge of pollutants immediately. Contact KDHE at 785/296-1679, anytime for spill reporting requirements. The Kansas Adjutant Generals Office should also be contacted (785/296-8013) as well as the National Spill Response Center (1-800-424-8802).
11. **Drinking Water Intakes:** The person responsible for the permitted activity shall avoid adverse impacts on public water supplies. Whenever permitted activities occur within one mile upstream of a public drinking water supply - surface water intake, the applicant shall contact the official in charge of the public drinking water supply to apprise the drinking water supply official of the permitted activity. The person responsible for the permitted activity shall consider the suggestions and recommendations of the public water supply official when preparing the PWQPP.
12. **Treated Wastewater Effluent Mixing Zones:** As a general guideline any Section 404 activity within one-half (2) mile upstream or one-half (2) mile downstream of a permitted wastewater effluent discharge may impact the effluent mixing zone. The person responsible for the permitted activity shall determine if the project will adversely impact the wastewater effluent mixing zones and take appropriate measures to avoid altering or changing the mixing zone. This may include but is not limited to:

- 1) The construction or placement of a recreation oriented facility or structure (i.e. boat ramp, walkway) which may require modification of the beneficial use designation to accommodate contact or non-contact recreation, thereby increasing the effluent limitations for the permit.
- 2) Any activity which may alter or remove the stream channel geometry or natural oxygenation abilities of the stream such as bridge construction, channelization, stream channel substrate modification etc.

The person responsible for the permitted Section 404 activity shall advise and describe to the waste water discharge permittee and KDHE any potential mixing zone impacts and the measures the person responsible for the Section 404 activity will take to minimize adverse impacts on the mixing zone. Inquiries should be directed to:

Kansas Department of Health and Environment
Bureau of Water - Municipal Programs Section
1000 SW Jackson Street, Suite 420
Topeka, Kansas 66612-1367
Phone: 785/296-5527; FAX: 785/296-5509

13. **Total Maximum Daily Load:** Any Section 404 activity within a watershed with a Total Maximum Daily Load (the amount of pollution a water body can receive and maintain its designated uses: see <http://www.kdheks.gov/tmdl/index.htm>) is strongly encouraged to contact the assigned KDHE watershed field coordinator. A service area map for the three watershed field coordinators is attached (see www.kdheks.gov/nps) once construction is started.

III. Special Conditions for Specific Nationwide Permits

1. **Outfall Structures and Maintenance (construction):**
Controls shall be in place to stabilize all areas of the bed and bank around the pipe or adjacent to the outfall structure and associated intake structures that may be affected by outfall or stream flows, respectively.
2. **Maintenance; Utility Line Activities; and -Minor Discharges (pipelines included):**
Hydrostatic tests for pipeline activities shall be approved prior to discharge of water used for the test. Please contact:

Kansas Department of Health and Environment
Bureau of Water - Industrial Program Section
1000 SW Jackson Street, Suite 420
Topeka, Kansas 66612-1367
Phone 785/296-5553; FAX: 785/296-5509

3. **Aquatic Habitat, Restoration, Establishment and Enhancement Activities and Stormwater Management Facilities):** Measures shall be implemented to assure impounded waters, created by activities within the framework of these permits, avoid becoming public health threats, nuisances, generate complaints, and potentially discharge degraded water. The applicant shall prepare and implement an Operations and Maintenance Plan for Facilities and Landscapes (O&M), which at the minimum incorporate the following:
- A. Identify individual and public property owners and their potential for being the source of nonpoint source pollution. This could include but is not limited to: commercial grounds, streets, right-of-ways, parking areas, conservation easement and **proposed** mitigation areas etc.
 - B. For each property as described in item A. above, water quality protection measures for each category of artificial source of pollution identified. The identified water quality protection measure for each category of artificial source of pollution shall be designed to *reduce to the maximum extent practicable, the level of pollution resulting from identified pollutant sources*. Identified water quality protection quality protection measures shall be at least as effective as those set out by the Kansas Nonpoint Source Pollution Management Plan (<http://www.kdheks.gov/nps/resources/2000update.pdf>), prepared and maintained by the Kansas Department of Health and Environment.
 - C. Strategies to assure implementation of the water quality protection measures identified under item II. 3-10 which may include but are not limited to prohibition or restriction of activities, utilization of alternative technologies or products, information and education, financial assistance, technical assistance, enforcement and penalties. Additionally, an in-house reporting form used by staff to document degraded property conditions potentially impacting the property and needs to address them should be developed, if applicable.
 - D. Organizations and individuals responsible for assuring implementation of the identified water quality protection measures.

IV. **Enforcement and Penalties**

This certification does not relieve the applicant of the responsibility for any discharge to waters of the state or allow for any inappropriate discharge to occur. As provided for by K.S.A. 65-171(f), failure to comply with the conditions of this certification may subject the responsible party to fines of \$10,000 per violation with each day the violation occurs constituting a separate violation.

Mr. Douglas R. Berka (GP-41-2007-0078)

January 31, 2008

Page 8 of 8

V. Variance

If the applicant believes the conditions of this certification will result in impairment of important widespread social and economic development, the applicant is advised of the variance provisions of KAR 28-16-28b(III) and KAR 28-16-28f(e).

VI. Additional Information

The KDHE website contains the following information to assist the applicant in preparing a project water quality protection plan:

*Construction practices: <http://www.dnr.mo.gov/env/wpp/wpcp-guide.htm>

*Project Water Quality Protection Plan Form and Instructions:

<http://www.kdheks.gov/nps/resources/nwpwqppfrm.doc> or

<http://www.kdheks.gov/nps/resources/nwpwqppfrm.pdf>

*Kansas Surface Water Register:

http://www.kdheks.gov/befs/download/Current_Kansas_Water_Register.pdf

*Kansas Surface Water Maps:

http://www.kdheks.gov/befs/download/2006_Surface_Water_Register_Maps.pdf

Surface Water Quality Standards- http://www.kdheks.gov/water/28_16_28b_g.pdf

*KDHE District Offices- <http://www.kdheks.gov/directions/index.html>

The Kansas Department of Health and Environment, Bureau of Water-Watershed Management Section at: 785/296-4195 or FAX 785/296-5509. This information can also be obtained by written communication directed to:

Kansas Department of Health and Environment
Bureau of Water - Watershed Management Section
1000 SW Jackson Street, Suite 420

Topeka, Kansas 66612-1367 or email: nps@kdhe.state.ks.us



Matt Blunt, Governor • Doyle Childers, Director

DEPARTMENT OF NATURAL RESOURCES

www.dnr.mo.gov

APR 7 2008

Colonel Roger A. Wilson, Jr.
U.S. Army Corps of Engineers
Kansas City District
601 E. 12th Street, Suite 700
700 Federal Building
Kansas City, MO 64106-2896

GP-41 Statewide
NWKGP-41/PN07-2078/CEK004650
Revision

RE: GP 41, All Districts

Dear Colonel Wilson:

The Missouri Department of Natural Resources' Water Protection Program (department) has reviewed Public Notice General Permit (GP) 41 (PN07-588) CEK004650 in which the applicant proposes to issue regional GP-41 to authorize certain discharges of dredged or fill material in conjunction with the permanent protection and/or repair of flood damaged structures, damaged areas, and/or damaged fills in waters of the United States within the states of Missouri and Kansas.

The proposed General Permit would be applicable to all Army Corps of Engineers' Districts in Missouri (Kansas City - 2007-2078/GP-41; Little Rock - 2008-00066/GP-41, Memphis - 2007-588/GP-41; Rock Island - 2007-2061/GP-35; and St. Louis).

This is a revision of the February 25, 2008, Water Quality Certification to include all water bodies of the state. These projects are located along waterways throughout Missouri. For any water body that is listed as impaired pursuant to Section 303(d) of the Clean Water Act; if activities are located upstream of a designated outstanding state or national resource area (10 CSR 20-7.031); or if the activities are located in a designated metropolitan no-discharge stream, extreme caution shall be exercised so that the project does not impact outstanding state or national resource area or further impair 303(d) listed water bodies.

This office certifies that the proposed project will not cause the general or numeric criteria to be exceeded nor impair beneficial uses established in the Water Quality Standards, 10 CSR 20-7.031, provided the following conditions are met:

1. This general permit shall not be used for channelization or channel modification purposes.
2. Only the repair of structures due to flood damage is authorized with this permit. The construction of new structures will need additional review and issuance of a separate water quality certification.

3. Representatives from the department shall be allowed to inspect the authorized activity at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the letters and conditions of the permit.
4. Care shall be taken to keep machinery out of the waterway as much as possible. Fuel, oil and other petroleum products, equipment and any solid waste shall not be stored below the ordinary high water mark at any time or in the adjacent floodway beyond normal working hours. All precautions shall be taken to avoid the release of wastes or fuel to streams and other adjacent water bodies as a result of this operation.
5. Petroleum products spilled into any water body or on the banks where the material may enter waters of the state shall be immediately cleaned up and disposed of properly.
6. Only clean, nonpolluting fill shall be used. The following materials are not suitable for bank stabilization and shall not be used due to their potential to cause violations of the general criteria of the Water Quality Standards, 10 CSR 20-7.031 (A) – (H):
 - a. Earthen fill, gravel, broken concrete where the material does not meet the specifications outlined below, and fragmented asphalt, since these materials are usually not substantial enough to withstand erosive flows;
 - b. Concrete with exposed rebar;
 - c. Tires, vehicles or vehicle bodies, construction or demolition debris are solid waste and are excluded from placement in the waters of the state;
 - d. Liquid concrete, including grouted riprap, if not placed as part of an engineered structure; and
 - e. Any material containing chemical pollutants (for example: creosote or pentachlorophenol).

Recycled or broken concrete may be used provided that it is reasonably well graded, consisting of pieces varying in size from 20 pounds up to and including at least 150 pound pieces. Applicants must break all large slabs to conform to the well-graded requirement. Generally, the maximum weight of any piece shall not be more than 500 pounds. Gravel and dirt shall not exceed 15 percent of the total fill volume. All protruding reinforcement rods, trash, asphalt and other extraneous materials must be removed from the broken concrete prior to placement.

Recycled or broken concrete being used simply as fill need not conform to the well-graded requirement. It shall, however, be free from extraneous materials and shall be placed to eliminate voids within the fill.

7. Clearing of vegetation/trees shall be the minimum necessary to accomplish the activity. A vegetated corridor shall be maintained from the high bank on either side of the jurisdictional channel to protect water quality and to provide for long-term stability of the stream channel, unless physical barriers prevent such a corridor.

8. The riparian area, banks, etc., shall be restored to a stable condition to protect water quality as soon as possible. Seeding, mulching and needed fertilization shall be within three days of final contouring. On-site inspections of these areas shall be conducted as necessary to ensure successful re-vegetation and stabilization, and to ensure that erosion and deposition of soil in waters of the state is not occurring from these projects.
9. Best Management Practices shall be used during construction and/or repair to limit the amount of sedimentation into adjacent water bodies.
10. Temporary fills shall be removed promptly and the fill site restored immediately following construction.
11. The attendant Water Quality Certification for this permit shall not be construed or interpreted to imply the requirements for other permits are replaced or superseded. Any National Pollutant Discharge Elimination System (NPDES) Permits, Land Disturbance General Permits, or other requirements shall be complied with.
12. After avoidance and minimization for projects, impacts must be compensated for. Mitigation for the loss of aquatic stream resources shall be in conformance with the *Missouri Stream Mitigation Method*. This document may be found at the following link:
www.mvs.usace.army.mil/permits/permits.asp.

You may appeal to have the matter heard by the administrative hearing commission. To appeal, you must file a petition with the administrative hearing commission within thirty (30) days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed; if it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the administrative hearing commission.

Water Quality Standards must be met during any operations authorized by these permits. If you have any questions, please contact Ms. Carrie M. Schulte of the NPDES Permits and Engineering Section by phone at (573) 751-7023, by e-mail at carrie.schulte@dnr.mo.gov, or by mail at Missouri Department of Natural Resources, Water Protection Program, P.O. Box 176, Jefferson City, MO 65109.

Sincerely,

WATER PROTECTION PROGRAM



Robert K. Morrison, P.E., Chief
Water Pollution Control Branch

RKM:csp

- c: Mr. Bill Goodwin, Missouri Department of Conservation
- Mr. Doyle Brown, Missouri Department of Conservation
- Ms. Janet Sternburg, Missouri Department of Conservation
- Mr. Mike Smith, Missouri Department of Conservation
- Mr. Stuart Miller, Missouri Department of Conservation
- Mr. Doug Berka, Army Corps of Engineers, Kansas City District
- Mr. Keith McMullen, Army Corps of Engineers, St. Louis District
- Mr. Larry Watson, Army Corps of Engineers, Memphis District
- Mr. Wayne Hannel, Army Corps of Engineers, Rock Island District
- Army Corps of Engineers, Kansas City District, MO State Regulatory Office
- Army Corps of Engineers, Kansas City District, Truman Satellite Office
- Army Corps of Engineers, Little Rock District
- Mr. Carl Stevens, U.S. Environmental Protection Agency
- Mr. Rick Hansen, U.S. Fish and Wildlife Service
- DNR – KCRO, SLRO, NERO, SERO, SWRO

RECEIVED
REGULATORY BRANCH

08 APR 21 AM 8:17