

KANSAS

Invasive Plant Species List Regional Condition 2

Plants - 321 Species

Subject Name, Scientific Name, Number of Counties

velvetleaf *Abutilon theophrasti* Medik 63
jointed goatgrass *Aegilops cylindrica* Host 105
crested wheatgrass *Agropyron cristatum* (L.) Gaertn. 13
corn cockle *Agrostemma githago* L 12
redtop *Agrostis gigantea* Roth 30
tree-of-heaven *Ailanthus altissima* (P. Mill.) Swingle 32
carpet bugle *Ajuga reptans* L. 3
mimosa *Albizia julibrissin* Durazz. 5
hollyhock *Alcea rosea* L. 10
garlic mustard *Alliaria petiolata* (Bieb.) Cavara & Grande 28
wild garlic *Allium vineale* L. 26
European alder *Alnus glutinosa* (L.) Gaertn. 2
slender meadow foxtail *Alopecurus myosuroides* Huds. 1
prostrate pigweed *Amaranthus blitoides* S. Wats 105
redroot pigweed *Amaranthus retroflexus* L. 103
stinking chamomile *Anthemis cotula* L 37
common burdock *Arctium minus* Bernh. 44
thymeleaf sandwort *Arenaria serpyllifolia* L. 74
absinth wormwood *Artemisia absinthium* L. 1
small carpetgrass, joint-head grass *Arthraxon hispidus* (Thunb.) Makino 1
giant reed *Arundo donax* L. 4
asparagus *Asparagus officinalis* L. 1
wild oat *Avena fatua* L. 4
yellow rocket *Barbarea vulgaris* Ait. f. 42
Mexican fireweed *Bassia scoparia* (L.) A.J. Scott 105
Japanese barberry *Berberis thunbergii* DC. 4
European barberry *Berberis vulgaris* L 2
hoary alyssum *Berteroa incana* (L.) DC 4
yellow bluestem *Bothriochloa ischaemum* (L.) Keng 28
yellow bluestem
Bothriochloa ischaemum var. *songarica* (Rupr. ex Fisch. & C.A. Mey.) Celarier & Harlan 24
Indian mustard *Brassica juncea* (L.) Czern 13
black mustard *Brassica nigra* (L.) W.D.J. Koch 37
birdsrape mustard *Brassica rapa* L. 26
field brome *Bromus arvensis* L. 105
rescuegrass *Bromus catharticus* Vahl 29
soft brome *Bromus hordeaceus* L. 7
soft brome *Bromus hordeaceus* ssp. *hordeaceus* L. 7
bald brome *Bromus racemosus* L. 29
rye brome *Bromus secalinus* L. 73
cheatgrass *Bromus tectorum* L. 105
paper-mulberry *Broussonetia papyrifera* (L.) L'Hér. ex Vent. 3
butterflybush *Buddleja davidii* Franch. 1
corn gromwell *Buglossoides arvensis* (L.) I.M. Johnston 46

hare's ear *Bupleurum rotundifolium* L. 2
 flowering rush *Butomus umbellatus* L. 2
 smallseed falseflax *Camelina microcarpa* DC. 96
 creeping bellflower *Campanula rapunculoides* L. 1
 marijuana *Cannabis sativa* L. 67
 shepherd's-purse *Capsella bursa-pastoris* (L.) Medik. 98
 lens-podded whitetop *Cardaria chalepensis* (L.) Hand.-Maz 13
 hoary cress *Cardaria draba* (L.) Desv 37
 hairy whitetop *Cardaria pubescens* (C.A. Mey.) 1
 spiny plumeless thistle *Carduus acanthoides* L. 3
 musk thistle *Carduus nutans* L. 101
 Madagascar periwinkle *Catharanthus roseus* (L.) G. Don 1
 oriental bittersweet *Celastrus orbiculatus* Thunb. 1
 cornflower *Centaurea cyanus* L. 24
 yellow starthistle *Centaurea solstitialis* L. 16
 spotted knapweed *Centaurea stoebe ssp. micranthos* (Gugler) Hayek 4
 common mouse-ear chickweed *Cerastium fontanum* Baumg. 34
 big chickweed *Cerastium fontanum ssp. vulgare* (Hartman) Greuter & Burdet 34
 bur buttercup *Ceratocephala testiculata* (Crantz) Bess. 5
 nettleleaf goosefoot *Chenopodium murale* L. 3
 blue mustard *Chorispora tenella* (Pallas) DC. 55
 chicory *Cichorium intybus* L. 38
 Canada thistle *Cirsium arvense* (L.) Scop. 25
 bull thistle *Cirsium vulgare* (Savi) Ten. 79
 sweet autumn virginibower *Clematis terniflora* DC 11
 bladder senna *Colutea arborescens* L. 1
 Asiatic dayflower *Commelina communis* L. 20
 poison-hemlock *Conium maculatum* L. 89
 European lily of the valley *Convallaria majalis* L. 2
 field bindweed *Convolvulus arvensis* L. 105
 garden cosmos *Cosmos bipinnatus* Cav. 2
 smooth hawkbeard *Crepis capillaris* (L.) Wallr 1
 piedmont bedstraw *Cruciata pedemontana* (Bellardi) Ehrend. 21
 Black dog-strangling vine, black
 swallowwort
Cynanchum louiseae Kartesz & Gandhi 4
 bermudagrass *Cynodon dactylon* (L.) Pers 78
 houndstongue *Cynoglossum officinale* L. 14
 orchardgrass *Dactylis glomerata* L. 71
 jimsonweed *Datura stramonium* L. 72
 Queen Anne's lace, wild carrot *Daucus carota* L. 41
 flixweed *Descurainia sophia* (L.) Webb ex Prantl 74
 Deptford pink *Dianthus armeria* L. 30
 Grecian foxglove *Digitalis lanata* Ehrh. 1
 smooth crabgrass *Digitaria ischaemum* (Schreb.) Schreb. ex Muhl. 2
 Chinese yam *Dioscorea polystachya* Turcz. 2
 common teasel *Dipsacus fullonum* L. 26
 cutleaf teasel *Dipsacus laciniatus* L. 10
 Indian mock-strawberry *Duchesnea indica* (Andr.) Focke 6
 mexicantea *Dysphania ambrosioides* (L.) Mosyakin & Clemants 45
 clammy goosefoot *Dysphania pumilio* (R. Br.) Mosyakin & Clemants 1

jungerice *Echinochloa colona* (L.) Link 2
barnyardgrass *Echinochloa crus-galli* (L.) Beauv 90
blueweed *Echium vulgare* L. 9
Brazilian waterweed *Egeria densa* Planch. 1
waterhyacinth *Eichhornia crassipes* (Mart.) Solms 3
Russian-olive *Elaeagnus angustifolia* L. 58
autumn-olive *Elaeagnus umbellata* Thunb. 2
goosegrass *Eleusine indica* (L.) Gaertn. 76
quackgrass *Elymus repens* (L.) Gould 20
stinkgrass *Eragrostis cilianensis* (All.) Vign. ex Janchen 105
weeping lovegrass *Eragrostis curvula* (Schrad.) Nees 8
redstem filaree *Erodium cicutarium* (L.) L'Hér. ex Ait. 37
redstem stork's bill *Erodium cicutarium* ssp. *cicutarium* (L.) L'Hér. ex Aiton 24
winged burning bush *Euonymus alatus* (Thunb.) Sieb. 5
winter creeper *Euonymus fortunei* (Turcz.) Hand.-Maz. 5
cypress spurge *Euphorbia cyparissias* L. 15
leafy spurge *Euphorbia esula* L. 9
buckwheat *Fagopyrum esculentum* Moench 7
wild buckwheat *Fallopia convolvulus* L. 81
Japanese knotweed *Fallopia japonica* Sieb. & Zucc. 3
mulberryweed *Fatoua villosa* (Thunb.) Nakai 1
tall fescue *Festuca arundinacea* Schreb. 74
meadow fescue *Festuca pratensis* Huds. 80
sheep fescue *Festuca trachyphylla* (Hack.) Krajina nom. illeg. 7
fennel *Foeniculum vulgare* P. Mill. 2
smallflower galinsoga *Galinsoga parviflora* Cav. 4
hairy galinsoga *Galinsoga quadriradiata* Cav 14
yellow bedstraw *Galium verum* L. 2
cutleaf geranium *Geranium dissectum* L. 1
ground ivy *Glechoma hederacea* L. 26
babysbreath *Gypsophila paniculata* L 1
tawny daylily *Hemerocallis fulva* (L.) L. 34
damesrocket *Hesperis matronalis* L. 46
rose of Sharon *Hibiscus syriacus* L. 1
Venice mallow *Hibiscus trionum* L. 74
common velvetgrass *Holcus lanatus* L. 6
barley *Hordeum vulgare* L. 1
Japanese hop *Humulus japonicus* Siebold & Zucc. 10
common St. Johnswort *Hypericum perforatum* L. 55
red morningglory *Ipomoea coccinea* L. 13
ivyleaf morningglory *Ipomoea hederacea* Jacq. 58
tall morningglory *Ipomoea purpurea* (L.) Roth 54
yellowflag iris *Iris pseudacorus* L. 4
goldenrain tree *Koelreuteria paniculata* Laxm. 1
Korean lespedeza *Kummerowia stipulacea* (Maxim.) Makino 39
common lespedeza *Kummerowia striata* (Thunb.) Schindl. 22
willowleaf lettuce *Lactuca saligna* L. 27
prickly lettuce *Lactuca serriola* L. 105
henbit *Lamium amplexicaule* L. 98
purple deadnettle *Lamium purpureum* L. 29
everlasting peavine *Lathyrus latifolius* L. 18

lesser hawkbit *Leontodon saxatilis* ssp. *saxatilis* L. 1
motherwort *Leonurus cardiaca* L. 32
perennial pepperweed *Lepidium latifolium* L. 1
clasping pepperweed *Lepidium perfoliatum* L. 6
shrubby lespedeza *Lespedeza bicolor* Turcz. 1
sericea lespedeza *Lespedeza cuneata* (Dum.-Cours.) G. Don 44
Thunberg lespedeza *Lespedeza thunbergii* (DC.) Nakai 1
oxeye daisy *Leucanthemum vulgare* Lam. 47
border privet *Ligustrum obtusifolium* Sieb. & Zucc. 4
Chinese privet *Ligustrum sinense* Lour. 3
European privet *Ligustrum vulgare* L. 2
Dalmatian toadflax *Linaria dalmatica* (L.) P. Mill. 14
dalmatian toadflax *Linaria dalmatica* ssp. *dalmatica* (L.) P. Mill. 14
yellow toadflax *Linaria vulgaris* P. Mill. 23
monkeygrass *Liriope muscari* (Dcne.) Bailey 1
perennial ryegrass *Lolium perenne* L. 58
Italian ryegrass *Lolium perenne* ssp. *multiflorum* (Lam.) Husnot 18
Japanese honeysuckle *Lonicera japonica* Thunb. 28
Amur honeysuckle *Lonicera maackii* (Rupr.) Herder 14
Tatarian honeysuckle *Lonicera tatarica* L. 6
Bell's honeysuckle *Lonicera x bella* Zabel [morrowii × tatarica] 3
dwarf honeysuckle *Lonicera xylosteum* L. 1
birdsfoot trefoil *Lotus corniculatus* L. 10
scarlet pimpernel *Lysimachia arvensis* (L.) U. Manns & A. Anderb. 15
moneywort *Lysimachia nummularia* L. 18
purple loosestrife *Lythrum salicaria* L. 9
Malcolm stock *Malcolmia africana* (L.) Ait. f. 1
Siberian crabapple *Malus baccata* (L.) Borkh. 1
Japanese flowering crabapple *Malus floribunda* Sieb. Ex Van Houtte 1
plumleaf crabapple *Malus prunifolia* (Willd.) Borkh. 1
common mallow *Malva neglecta* Wallr. 75
little mallow *Malva parviflora* L. 3
white horehound *Marrubium vulgare* L. 55
European pepperwort *Marsilea quadrifolia* L. 1
pineapple-weed *Matricaria discoidea* DC. 8
black medic *Medicago lupulina* L. 98
alfalfa *Medicago sativa* L. 1
white sweetclover *Melilotus alba* Medikus 1
yellow sweetclover *Melilotus officinalis* (L.) Lam. 105
lemon balm *Melissa officinalis* L. 1
spearmint *Mentha spicata* L. 3
peppermint *Mentha x piperita* L. (pro sp.) 1
thoroughwort pennycress *Microthlaspi perfoliatum* (L.) F.K. Mey. 35
balsamapple *Momordica charantia* L. 1
white mulberry *Morus alba* L. 97
common grape hyacinth *Muscari botryoides* (L.) P. Mill. 7
starch grape hyacinth *Muscari neglectum* Guss. ex Ten. 6
water starwort *Myosoton aquaticum* (L.) Moench 1
parrot feather milfoil *Myriophyllum aquaticum* (Vell.) Verdc. 1
brittleleaf naiad *Najas minor* All. 1
watercress *Nasturtium officinale* Ait. f. 47

catnip *Nepeta cataria* L. 82
apple-of-Peru *Nicandra physalodes* (L.) Gaertn. 3
Scotch thistle *Onopordum acanthium* L. 4
star-of-Bethlehem *Ornithogalum umbellatum* L. 14
wild-proso millet *Panicum miliaceum* L. 5
vaseygrass *Paspalum urvillei* Steud. 1
wild parsnip *Pastinaca sativa* L. 19
perilla mint *Perilla frutescens* (L.) Britton 21
Oriental lady's thumb *Persicaria longiseta* (Bruijn) Kitagawa 4
ladysthumb *Persicaria maculosa* S.F. Gray 63
princess-feather *Persicaria orientalis* (L.) Spach 4
reed canarygrass *Phalaris arundinacea* L. 37
canarygrass *Phalaris canariensis* L. 15
timothy *Phleum pratense* L. 58
common reed *Phragmites australis* (Cav.) Trin. ex Steud. 29
chamber bitter *Phyllanthus urinaria* L. 1
buckhorn plantain *Plantago lanceolata* L. 51
annual bluegrass *Poa annua* L. 45
bulbous bluegrass *Poa bulbosa* L. 14
Canada bluegrass *Poa compressa* L. 38
roughstalk bluegrass *Poa trivialis* L. 2
prostrate knotweed *Polygonum aviculare* L. 1
marshpepper smartweed *Polygonum hydropiper* L. 3
rabbitfoot polypogon *Polypogon monspeliensis* (L.) Desf. 25
trifoliolate orange *Poncirus trifoliata* (L.) Raf. 1
white poplar *Populus alba* L. 21
Lombardy poplar *Populus nigra* L. 2
curlyleaf pondweed *Potamogeton crispus* L. 27
sulfur cinquefoil *Potentilla recta* L. 41
sour cherry *Prunus cerasus* L. 3
Mahaleb cherry *Prunus mahaleb* L. 11
kudzu *Pueraria montana* var. *lobata* (Willd.) Maesen & S. Almeida 6
scarlet firethorn *Pyracantha coccinea* M. Roemer 1
Callery pear (Bradford pear) *Pyrus calleryana* Dcne. 2
common pear *Pyrus communis* L. 3
tall buttercup *Ranunculus acris* L. 4
bulbous buttercup *Ranunculus bulbosus* L. 3
creeping buttercup *Ranunculus repens* L. 2
radish *Raphanus sativus* L. 16
European buckthorn *Rhamnus cathartica* L. 2
Russian knapweed *Rhaponticum repens* (L.) Hidalgo 26
jetbead *Rhodotypos scandens* (Thunb.) Makino 2
castorbean *Ricinus communis* L. 1
ravennagrass *Ripidium ravennae* (L.) Trinius 4
bristly locust *Robinia hispida* L. 6
yellow fieldcress *Rorippa sylvestris* (L.) Bess. 4
sweetbriar rose *Rosa eglanteria* L. 2
multiflora rose *Rosa multiflora* Thunb. ex Murr. 43
Scottish rose *Rosa spinosissima* L. 2
memorial rose *Rosa wichuraiana* Crépin 1
red sorrel *Rumex acetosella* L. 35

curly dock *Rumex crispus* L. 105
curly dock *Rumex crispus* ssp. *crispus* L. 105
narrowleaf dock *Rumex stenophyllus* Ledeb. 59
white willow *Salix alba* L. 5
crack willow *Salix fragilis* L. 2
slender Russian thistle *Salsola collina* Pallas 43
Russian-thistle *Salsola tragus* L. 63
bouncingbet *Saponaria officinalis* L. 50
mourningbride *Scabiosa atropurpurea* L. 2
crownvetch *Securigera varia* (L.) Lassen 55
common groundsel *Senecio vulgaris* L. 1
coffee senna *Senna occidentalis* (L.) Link 1
giant foxtail *Setaria faberi* Herrm. 57
foxtail millet *Setaria italica* (L.) Beauv. 30
yellow foxtail *Setaria pumila* (Poir.) Roemer & J.A. Schultes 87
bristly foxtail *Setaria verticillata* (L.) Beauv. 5
green foxtail *Setaria viridis* (L.) Beauv. 105
green bristlegrass *Setaria viridis* var. *viridis* (L.) P. Beauv. 105
field madder *Sherardia arvensis* L. 5
white campion *Silene latifolia* Poir. 9
bladder campion *Silene latifolia* ssp. *alba* (Mill.) Greuter & Burdet 4
nightflowering catchfly *Silene noctiflora* L. 6
bladder campion *Silene vulgaris* (Moench) Garcke 3
wild mustard *Sinapis arvensis* L. 47
tumble mustard *Sisymbrium altissimum* L. 46
hedge mustard *Sisymbrium officinale* (L.) Scop. 33
bittersweet nightshade *Solanum dulcamara* L. 1
hairy nightshade *Solanum physalifolium* Rusby 4
perennial sowthistle *Sonchus arvensis* L. 1
spiny sowthistle *Sonchus asper* (L.) Hill 89
annual sowthistle *Sonchus oleraceus* L. 10
sorghum *Sorghum bicolor* (L.) Moench 25
johnsongrass *Sorghum halepense* (L.) Pers. 105
swainsonpea *Sphaerophysa salsula* (Pallas) DC. 2
Thunberg's meadowsweet *Spiraea thunbergii* Sieb. ex Blume 1
common chickweed *Stellaria media* (L.) Vill. 1
common chickweed *Stellaria pallida* (Dumort.) Crépin 85
common lilac *Syringa vulgaris* L. 3
fivestamen tamarisk *Tamarix chinensis* Lour. 48
smallflower tamarisk *Tamarix parviflora* DC. 5
saltcedar *Tamarix ramosissima* Ledeb. 39
common tansy *Tanacetum vulgare* L. 8
rock dandelion *Taraxacum laevigatum* (Willd.) DC. 67
intermediate wheatgrass *Thinopyrum intermedium* (Host) Barkworth & D.R. Dewey 4
tall wheatgrass *Thinopyrum ponticum* (Podp.) Z.-W. Liu & R.-C. Wang 21
field pennycress *Thlaspi arvense* L. 88
hedgearsley *Torilis arvensis* (Huds.) Link 52
spreading hedgearsley *Torilis arvensis* ssp. *arvensis* (Huds.) Link 50
western salsify *Tragopogon dubius* Scop. 105
meadow salsify *Tragopogon lamottei* L. 1
common salsify *Tragopogon porrifolius* L. 19

puncturevine *Tribulus terrestris* L. 105
rabbitfoot clover *Trifolium arvense* L. 2
large hop clover *Trifolium campestre* Schreb. 31
small hop clover *Trifolium dubium* Sibthorp 8
alsike clover *Trifolium hybridum* L. 18
red clover *Trifolium pratense* L. 54
white clover *Trifolium repens* L. 72
false chamomile *Tripleurospermum perforatum* (Merat) M. Lainz 3
narrowleaf cattail *Typha angustifolia* L. 105
Chinese elm *Ulmus parvifolia* Jacq. 1
English elm *Ulmus procera* Salisb. 1
Siberian elm *Ulmus pumila* L. 105
moth mullein *Verbascum blattaria* L. 50
common mullein *Verbascum thapsus* L. 82
corn speedwell *Veronica arvensis* L. 82
twolobe speedwell *Veronica biloba* L. 1
ivyleaf speedwell *Veronica hederifolia* L. 2
thymeleaf speedwell *Veronica serpyllifolia* L. 1
thymeleaf speedwell *Veronica serpyllifolia* ssp. *serpyllifolia* L. 2
common vetch *Vicia sativa* Linnaeus 5
hairy vetch *Vicia villosa* Roth 52
common periwinkle *Vinca minor* L. 12
rattail fescue *Vulpia myuros* (L.) K.C. Gmel. 4
spiny cocklebur *Xanthium spinosum* L. 16
Syrian beancaper *Zygophyllum fabago* L. 2

EDDMapS. 2011. Early Detection & Distribution Mapping System. The University of Georgia - Center for Invasive Species and Ecosystem Health. Available online at <http://www.eddmaps.org/>