

Station	Depth (ft)	Date	Time	Total Atrazine	Alachlor	Metolachlor	Metribuzin	Ammonia	NO3/NO2	TKN	T. Nitrogen	T. Phosphorus	T. OrthoPhos	TN:TP	SRB/DY	YS	CHLPHYS	Secchi	TDS	Arsenic	Copper	T-Iron	Lead	T-Manganese	T-Mercury	Nickel	Zinc	Cadmium	Chromium	2,4,5,6 Tetrachloro-m-xylene	Hexachlorocyclopentadiene	PCB 198
				ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
TC-27	0.1	6/11/2020	900	<0.01	<0.01	<0.01	0.193	0.058	4.070	0.810	5.480	0.412	0.226	13.301	17.1	5.0	8.0	0.0054	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-27	0.1	7/9/2020	830	0.411	<0.01	5.44	0.197	0.104	3.320	0.880	4.200	0.486	0.359	8.642	55.0	30.0	8.2	0.0054	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-27	0.1	8/13/2020	830	0.411	<0.01	5.44	0.197	0.104	3.320	0.880	4.200	0.486	0.359	8.642	55.0	30.0	8.2	0.0054	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-27	0.1	9/10/2020	820	0.411	<0.01	5.44	0.197	0.104	3.320	0.880	4.200	0.486	0.359	8.642	55.0	30.0	8.2	0.0054	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-3	0.1	6/11/2020	945	<0.01	<0.01	<0.01	0.389	0.110	4.620	0.850	5.470	0.414	0.228	13.213	13.0	2.3	1.4	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-3	0.1	7/9/2020	1015	0.453	<0.01	5.83	0.224	0.084	3.380	0.770	4.150	0.483	0.347	8.963	37.9	3.2	0.4	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-3	0.1	8/13/2020	1245	0.453	<0.01	5.83	0.224	0.084	3.380	0.770	4.150	0.483	0.347	8.963	37.9	3.2	0.4	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-3	0.1	9/10/2020	930	0.453	<0.01	5.83	0.224	0.084	3.380	0.770	4.150	0.483	0.347	8.963	37.9	3.2	0.4	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-10	0.1	6/11/2020	1000	<0.01	<0.01	<0.01	0.307	0.099	2.455	0.780	3.235	0.451	0.331	6.929	33.5	3.6	1.2	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-10	0.1	7/9/2020	930	0.464	<0.01	5.08	0.134	0.141	2.370	1.452	3.822	0.603	0.485	6.338	199.1	150.0	9.7	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-10	0.1	8/13/2020	1330	0.464	<0.01	5.08	0.134	0.141	2.370	1.452	3.822	0.603	0.485	6.338	199.1	150.0	9.7	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-10	0.1	9/10/2020	1020	0.464	<0.01	5.08	0.134	0.141	2.370	1.452	3.822	0.603	0.485	6.338	199.1	150.0	9.7	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-30	0.1	6/11/2020	1215	0.813	<0.01	<0.01	0.185	0.377	2.880	2.880	5.760	1.410	1.020	4.085	266.9	880.0	25.0	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-30	0.1	7/9/2020	1245	0.605	<0.01	2.63	0.056	0.122	2.110	1.798	3.908	0.399	0.643	4.891	199.8	370.0	15.6	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-30	0.1	8/13/2020	1005	0.605	<0.01	2.63	0.056	0.122	2.110	1.798	3.908	0.399	0.643	4.891	199.8	370.0	15.6	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-30	0.1	9/9/2020	1930	0.709	<0.01	2.63	0.121	0.109	0.317	0.980	1.297	0.462	0.243	2.807	21.1	54.0	10.2	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-30	0.1	9/9/2020	1930	0.709	<0.01	2.63	0.121	0.109	0.317	0.980	1.297	0.462	0.243	2.807	21.1	54.0	10.2	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	6/11/2020	1315	0.468	<0.01	0.01	0.013	0.102	1.080	0.830	1.910	0.511	0.260	3.738	34.5	63.0	6.7	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	7/9/2020	1205	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	8/13/2020	1330	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.0874	0.1870	0.1280		
TC-32	0.1	9/9/2020	1850	0.436	<0.01	0.369	<0.01	0.083	0.629	0.880	1.509	0.399	0.175	5.047	68.6	67.0	7.8	0.0055	0.0006	0.6180	0.0018	0.0614	0.0000	0.0055	0.0127	<0.01	0.0006	0.087				